

L O A D	OFFICIAL 1st day											ENDURANCE
	%	65		75		75		90		100		--
Going & Returning		GO	RET	GO	RET	GO	RET	GO	RET	GO	RET	H-F0
R. P. M	min <sup>-1</sup>	158.9	159.1	166.8	167.1	167.3	167.8	177.2	176.9	183.1	182.8	175.6
B. H. P	kW	1659	1691	1915	1941	1925	1949	2290	2287	2598	2615	2210
Engine Out Put/MCO	%	62.8	64.1	72.5	73.5	72.9	73.8	86.7	86.6	98.4	99.1	83.7
Fuel pump Mark (C/R)		34.0	35.0	37.0	37.0	37.0	37.0	40.0	39.0	43.0	43.0	37.0
Room temp (Fore)	°C	24	24	23	24	25	24	24	25	23	23	23
Room temp (Aft)	°C	23	24	24	24	25	24	24	24	24	24	24
Atmospheric pressure	hPa	1020.0	1019.5	1019.2	1019.2	1019.0	1019.0	1018.0	1018.0	1018.0	1018.0	1018.0
Fuel oil inlet M	°C	30	30	32	32	32	33	33	33	33	33	76
Fuel oil inlet E	°C	32	32	30	32	33	33	32	33	33	32	79
Fuel oil consumption	kg/h	301.9	308.4	346.2	351.5	348.2	355.0	412.9	412.0	461.2	463.6	406.7
Specific F. O. Consumption (A-Oil 42820KJ/kg) (C-Oil 42020KJ/kg)	g/kW. h	182.0	182.4	180.8	181.1	180.9	182.1	180.3	180.2	180.7	181.1	184.0
Specific F. O. Consumption (at. 42700KJ/kg)	g/kW. h	182.5	182.9	181.3	181.6	181.4	182.7	180.8	180.7	181.2	181.6	181.1